複合式自動車床系列
Carbide Tool For Compound Lathe Series

JG複合式自動車床銑刀專為車、銑複合自動車床的需求設計，也適用於一般車床加工和高速加工機，配合複合機進行金屬加工，具有高精度、高耐磨、提高生產效能，減少換刀需求等特點。

加工材料 鈦合金、不銹鋼、泛用鋼材、鋁合金。

加工硬度 ≦ HRC55°



174 JGM 複合式自動車床 (鋁用銑刀) -2刃
JGM Carbide Tools For Compound Lathe (Aluminum End Mills) - 2 Flutes

175 JGF 複合式自動車床 (鋁用銑刀) -3刃
JGF Carbide Tools For Compound Lathe (Aluminum End Mills) - 3 Flutes

176 JGE 複合式自動車床 (標準型) -2刃
JGE Carbide Tools For Compound Lathe (Standard) -2 Flutes

177 JGA 複合式自動車床 (圓溝型 / 白鐵 . 鑄鐵用) -3刃
JGA Carbide Tools For Compound Lathe (U-Flute Shape / Stainless . Castiron) -3 Flutes

JGU 複合式自動車床 (圓溝型) -4刃
JGU Carbide Tools For Compound Lathe (U-Flute Shape) -4 Flutes

178 JGB 複合式自動車床 (球型銑刀) -2刃
JGB Carbide Tools For Compound Lathe (Ball Nose End Mills) -2 Flutes

179 JGW 複合式自動車床 (短刃型) -2刃
JGW Carbide Tools For Compound Lathe (Short Flute) -2 Flutes

180 JGX 複合式自動車床 (短刃型) -3刃
JGX Carbide Tools For Compound Lathe (Short Flute) -3 Flutes

181 JGY 複合式自動車床 (短刃型) -4刃
JGY Carbide Tools For Compound Lathe (Short Flute) -4 Flutes

JGZ 複合式自動車床 (短刃型) -6刃
JGZ Carbide Tools For Compound Lathe (Short Flute) -6 Flutes

182 JGC 複合式自動車床 (內孔車刀)
JGC Carbide Tools For Compound Lathe (Bore Tool)

183 JGD 複合式自動車床 (內孔車刀)
JGD Carbide Tools For Compound Lathe (Bore Tool)

184 JGH 複合式自動車床 (內孔車刀)
JGH Carbide Tools For Compound Lathe (Bore Tool)

185 JGI 複合式自動車床 (內孔車刀)
JGI Carbide Tools For Compound Lathe (Bore Tool)

186 JGJ 複合式自動車床 (內孔車刀)
JGJ Carbide Tools For Compound Lathe (Bore Tool)

187 JGK 複合式自動車床 (內孔車刀)
JGK Carbide Tools For Compound Lathe (Bore Tool)

188 JGN 複合式自動車床 (內孔牙刀)
JGN Carbide Tools For Compound Lathe (Internal Threading)

189 JGP 複合式自動車床 (內孔槽刀)
JGP Carbide Tools For Compound Lathe (Internal Grooving)

190 JGQ 複合式自動車床 (內孔圓槽刀)
JGQ Carbide Tools For Compound Lathe (Internal Radius Grooving)

191 JGR 複合式自動車床 (端面槽刀)
JGR Carbide Tools For Compound Lathe (Endface Grooving)

192 JGS 複合式自動車床 (端面槽刀)
JGS Carbide Tools For Compound Lathe (Endface Grooving)

193 JGT 複合式自動車床 (焊接式)
JGT Carbide Tools For Compound Lathe (Brazed)

複合式自動車床 (鋁用銑刀) -2刃

Carbide Tools For Compound Lathe (Aluminum End Mills) - 2 Flutes





編號 (Number)	外徑 (D)	刃長 (H)	刃數 (T)	柄徑 (d)	全長 (L)	價格 (Price)
JGM0203	2	6	2	3	38	
JGM0303	3	8	2	3	38	
JGM0404	4	12	2	4	50	
JGM0506	5	15	2	6	50	
JGM0606	6	15	2	6	50	

切削條件表 Cutting Condition P.286

複合式自動車床 (鋁用銑刀) -3刃

Carbide Tools For Compound Lathe (Aluminum End Mills) - 3 Flutes





編號 (Number)	外徑 (D)	刃長 (H)	刃數 (T)	柄徑 (d)	全長 (L)	價格 (Price)
JGF0606	6	15	3	6	50	
JGF0808	8	15	3	8	50	
JGF1010	10	15	3	10	50	
JGF1210	12	15	3	10	50	
JGF1610	16	15	3	10	50	

切削條件表 Cutting Condition P.286

複合式自動車床 (標準型) -2刃

Carbide Tools For Compound Lathe (Standard) -2 Flutes



2 Flutes | UMG | 35° | HRC 55 | TIX-H | Planing | Slotting

編號 (Number)	外徑 (D)	刃長 (H)	刃數 (T)	柄徑 (d)	全長 (L)	價格 (Price)
JGE0103	1	3	2	3	38	
JGE01503	1.5	4	2	3	38	
JGE0203	2	6	2	3	38	
JGE02503	2.5	7	2	3	38	
JGE0303	3	8	2	3	38	
JGE03504	3.5	10	2	4	50	
JGE0404	4	12	2	4	50	
JGE04506	4.5	13	2	6	50	
JGE0506	5	13	2	6	50	
JGE0606	6	15	2	6	50	
JGE0708	7	15	2	8	50	
JGE0808	8	15	2	8	50	
JGE0910	9	15	2	10	50	
JGE1010	10	15	2	10	50	
JGE1210	12	15	2	10	50	

切削條件表 Cutting Condition P.280

複合式自動車床 (圓溝型 / 白鐵 . 鑄鐵用) -3刃

Carbide Tools For Compound Lathe (U-Flute Shape / Stainless . Castiron) -3 Flutes



3 Flutes | UMG | 45° | HRC 55 | TIX-H | Side | Slotting

編號 (Number)	外徑 (D)	刃長 (H)	刃數 (T)	柄徑 (d)	全長 (L)	價格 (Price)
JGA0303	3	8	3	3	38	
JGA0404	4	12	3	4	50	
JGA0506	5	13	3	6	50	
JGA0606	6	15	3	6	50	
JGA0808	8	15	3	8	50	
JGA1010	10	15	3	10	50	
JGA1210	12	15	3	10	50	

複合式自動車床 (圓溝型) -4刃

Carbide Tools For Compound Lathe (U-Flute Shape) -4 Flutes



4 Flutes | UMG | 45° | HRC 55 | TIX-H | Planing | Side | Slotting

編號 (Number)	外徑 (D)	刃長 (H)	刃數 (T)	柄徑 (d)	全長 (L)	價格 (Price)
JGU0303	3	8	4	3	38	
JGU0404	4	11	4	4	50	
JGU0506	5	13	4	6	50	
JGU0606	6	15	4	6	50	
JGU0808	8	15	4	8	50	
JGU1010	10	15	4	10	50	
JGU1210	12	15	4	10	50	
JGU1610	16	15	4	10	50	

切削條件表 Cutting Condition P.281

複合式自動車床 (球型銑刀) -2刃

Carbide Tools For Compound Lathe (Ball Nose End Mills) -2 Flutes



2 Flutes | UMG | 30° | HRC 55 | TIX-H | Profiling

編號 (Number)	球半徑 (R)	外徑 (D)	刃長 (H)	刃數 (T)	柄徑 (d)	全長 (L)	價格 (Price)
JGB0103	0.5	1	2	2	3	38	
JGB01503	0.75	1.5	3	2	3	38	
JGB0203	1	2	4	2	3	38	
JGB02503	1.25	2.5	5	2	3	38	
JGB0303	1.5	3	6	2	3	38	
JGB0404	2	4	8	2	4	50	
JGB0506	2.5	5	10	2	6	50	
JGB0606	3	6	12	2	6	50	
JGB0708	3.5	7	15	2	8	50	
JGB0808	4	8	15	2	8	50	
JGB0910	4.5	9	15	2	10	50	
JGB1010	5	10	15	2	10	50	
JGB1210	6	12	15	2	10	50	

切削條件表 Cutting Condition P.282

複合式自動車床 (短刃型) -2刃

Carbide Tools For Compound Lathe (Short Flute) -2 Flutes



2 Flutes | UMG | 35° | HRC 55 | TiaLN | Planing | Side | Slotting

編號 (Number)	外徑 (D)	刃長 (H)	刃數 (T)	柄徑 (d)	全長 (L)	價格 (Price)
JGW0206	2	2	2	6	40	
JGW0306	3	3	2	6	40	
JGW0406	4	4	2	6	40	
JGW0506	5	5	2	6	40	
JGW0606	6	6	2	6	40	
JGW0706	7	7	2	6	40	
JGW0806	8	8	2	6	40	
JGW0906	9	9	2	6	40	
JGW1006	10	10	2	6	40	
JGW1210	12	12	2	10	40	
JGW1310	13	13	2	10	40	
JGW1410	14	14	2	10	40	
JGW1510	15	15	2	10	40	
JGW1610	16	16	2	10	40	

切削條件表 Cutting Condition P.280

複合式自動車床 (短刃型) -3刃

Carbide Tools For Compound Lathe (Short Flute) -3 Flutes



2 Flutes | UMG | 35° | HRC 55 | TiaLN | Planing | Side | Slotting

編號 (Number)	外徑 (D)	刃長 (H)	刃數 (T)	柄徑 (d)	全長 (L)	價格 (Price)
JGX0206	2	2	3	6	40	
JGX0306	3	3	3	6	40	
JGX0406	4	4	3	6	40	
JGX0506	5	5	3	6	40	
JGX0606	6	6	3	6	40	
JGX0706	7	7	3	6	40	
JGX0806	8	8	3	6	40	
JGX0906	9	9	3	6	40	
JGX1006	10	10	3	6	40	
JGX1210	12	12	3	10	40	
JGX1310	13	13	3	10	40	
JGX1410	14	14	3	10	40	
JGX1510	15	15	3	10	40	
JGX1610	16	16	3	10	40	

切削條件表 Cutting Condition P.280

複合式自動車床 (短刃型) -4刃

Carbide Tools For Compound Lathe (Short Flute) -4 Flutes



4 Flutes | UMG | 35° | HRC 55 | TIX-H | Planing | Side

編號 (Number)	外徑 (D)	刃長 (H)	刃數 (T)	柄徑 (d)	全長 (L)	價格 (Price)
JGY0808	8	8	4	8	40	
JGY1010	10	10	4	10	40	
JGY1210	12	12	4	10	40	
JGY1610	16	16	4	10	40	

切削條件表 Cutting Condition P.280

複合式自動車床 (短刃型) -6刃

Carbide Tools For Compound Lathe (Short Flute) -6 Flutes



6 Flutes | UMG | 45° | HRC 55 | TiaLN | Planing | Side

編號 (Number)	外徑 (D)	刃長 (H)	刃數 (T)	柄徑 (d)	全長 (L)	價格 (Price)
JGZ1210	12	12	6	10	40	
JGZ1610	16	16	6	10	40	

切削條件表 Cutting Condition P.281

複合式自動車床 (內孔車刀)

Carbide Tools For Compound Lathe (Bore Tool)



編號 (Number)	外徑 (D)	有效長 (L1)	R 角 (R)	車削深 (H)	平面寬度 (H1)	全長 (L)	柄徑 (d)	工件直徑 (øK)	價格 (Price)
JGC02801	2.8	10	0.1	0.6	3.7	50	4	3	
JGC02802	2.8	15	0.1	0.6	3.7	50	4	3	
JGC02803	2.8	21	0.1	0.6	3.7	60	4	3	
JGC03801	3.8	12	0.1	0.8	3.7	50	4	4	
JGC03802	3.8	12	0.2	0.8	3.7	50	4	4	
JGC03803	3.8	20	0.1	0.8	3.7	60	4	4	
JGC03804	3.8	20	0.2	0.8	3.7	60	4	4	
JGC03805	3.8	28	0.1	0.8	3.7	75	4	4	
JGC03806	3.8	28	0.2	0.8	3.7	75	4	4	
JGC04801	4.8	15	0.1	1	5.6	50	6	5	
JGC04802	4.8	15	0.2	1	5.6	50	6	5	
JGC04803	4.8	25	0.1	1	5.6	75	6	5	
JGC04804	4.8	25	0.2	1	5.6	75	6	5	
JGC04805	4.8	35	0.1	1	5.6	75	6	5	
JGC04806	4.8	35	0.2	1	5.6	75	6	5	
JGC05601	5.6	20	0.2	1.5	5.6	60	6	6	
JGC05602	5.6	30	0.2	1.5	5.6	75	6	6	
JGC05603	5.6	42	0.2	1.5	5.6	75	6	6	
JGC06601	6.6	21	0.2	2	7.4	60	8	7	
JGC06602	6.6	35	0.2	2	7.4	75	8	7	
JGC06603	6.6	49	0.2	2	7.4	100	8	7	
JGC07601	7.6	25	0.2	2	7.4	75	8	8	
JGC07602	7.6	40	0.2	2	7.4	80	8	8	
JGC07603	7.6	56	0.2	2	7.4	100	8	8	
JGC09601	9.6	30	0.2	2.5	9.3	75	10	10	
JGC09602	9.6	50	0.2	2.5	9.3	100	10	10	
JGC09603	9.6	70	0.2	2.5	9.3	120	10	10	

切削條件表 Cutting Condition P.302

複合式自動車床 (內孔車刀)

Carbide Tools For Compound Lathe (Bore Tool)



編號 (Number)	外徑 (D)	有效長 (L1)	平面 (M)	車削深 (H)	平面寬度 (H1)	全長 (L)	柄徑 (d)	工件直徑 (øK)	價格 (Price)
JGD02801	2.8	10	0.2	0.6	3.7	50	4	3	
JGD02802	2.8	15	0.2	0.6	3.7	50	4	3	
JGD02803	2.8	21	0.2	0.6	3.7	60	4	3	
JGD03801	3.8	12	0.3	0.8	3.7	50	4	4	
JGD03802	3.8	20	0.3	0.8	3.7	60	4	4	
JGD03803	3.8	28	0.3	0.8	3.7	75	4	4	
JGD04801	4.8	15	0.4	1	5.6	50	6	5	
JGD04802	4.8	25	0.4	1	5.6	60	6	5	
JGD04803	4.8	35	0.4	1	5.6	75	6	5	
JGD05601	5.6	20	0.4	1.5	5.6	60	6	6	
JGD05602	5.6	30	0.4	1.5	5.6	75	6	6	
JGD05603	5.6	42	0.4	1.5	5.6	80	6	6	
JGD06601	6.6	21	0.5	2	7.4	60	8	7	
JGD06602	6.6	35	0.5	2	7.4	75	8	7	
JGD06603	6.6	49	0.5	2	7.4	100	8	7	
JGD07601	7.6	25	0.5	2	7.4	75	8	8	
JGD07602	7.6	40	0.5	2	7.4	80	8	8	
JGD07603	7.6	56	0.5	2	7.4	100	8	8	
JGD09601	9.6	30	0.5	2.5	9.3	75	10	10	
JGD09602	9.6	50	0.5	2.5	9.3	100	10	10	
JGD09603	9.6	70	0.5	2.5	9.3	120	10	10	

切削條件表 Cutting Condition P.302

複合式自動車床 (內孔車刀)

Carbide Tools For Compound Lathe (Bore Tool)



編號 (Number)	外徑 (D)	有效長 (L1)	R 角 (R)	車削深 (H)	平面寬度 (H1)	全長 (L)	柄徑 (d)	工件直徑 (øK)	價格 (Price)
JGH02801	2.8	10	0.1	0.6	3.7	50	4	3	
JGH02802	2.8	15	0.1	0.6	3.7	50	4	3	
JGH02803	2.8	21	0.1	0.6	3.7	60	4	3	
JGH03801	3.8	12	0.1	0.8	3.7	50	4	4	
JGH03802	3.8	12	0.2	0.8	3.7	50	4	4	
JGH03803	3.8	20	0.1	0.8	3.7	60	4	4	
JGH03804	3.8	20	0.2	0.8	3.7	60	4	4	
JGH03805	3.8	28	0.1	0.8	3.7	75	4	4	
JGH03806	3.8	28	0.2	0.8	3.7	75	4	4	
JGH04801	4.8	15	0.1	1	5.6	50	6	5	
JGH04802	4.8	15	0.2	1	5.6	50	6	5	
JGH04803	4.8	25	0.1	1	5.6	75	6	5	
JGH04804	4.8	25	0.2	1	5.6	75	6	5	
JGH04805	4.8	35	0.1	1	5.6	75	6	5	
JGH04806	4.8	35	0.2	1	5.6	75	6	5	
JGH05601	5.6	20	0.2	1.5	5.6	60	6	6	
JGH05602	5.6	30	0.2	1.5	5.6	75	6	6	
JGH05603	5.6	42	0.2	1.5	5.6	80	6	6	
JGH06601	6.6	21	0.2	2	7.4	60	8	7	
JGH06602	6.6	35	0.2	2	7.4	75	8	7	
JGH06603	6.6	49	0.2	2	7.4	100	8	7	
JGH07601	7.6	25	0.2	2	7.4	75	8	8	
JGH07602	7.6	40	0.2	2	7.4	80	8	8	
JGH07603	7.6	56	0.2	2	7.4	100	8	8	
JGH09601	9.6	30	0.2	2.5	9.3	75	10	10	
JGH09602	9.6	50	0.2	2.5	9.3	100	10	10	
JGH09603	9.6	70	0.2	2.5	9.3	120	10	10	

切削條件表 Cutting Condition P.302

複合式自動車床 (內孔車刀)

Carbide Tools For Compound Lathe (Bore Tool)



編號 (Number)	外徑 (D)	厚度 (W±0.03)	有效長 (L1)	R 角 (R)	車削深 (H)	平面寬度 (H1)	全長 (L)	柄徑 (d)	工件直徑 (øK)	價格 (Price)
JGI03501	3.5	1	10	0.1	0.5	3.7	50	4	4	
JGI03502	3.5	1.5	10	0.2	0.8	3.7	50	4	4	
JGI03901	3.9	1	13	0.1	1	3.7	50	4	5	
JGI03902	3.9	1.5	13	0.2	1	3.7	50	4	5	
JGI04801	4.8	1.5	15	0.2	1.5	5.5	60	6	6	
JGI04802	4.8	2	15	0.2	1.5	5.5	60	6	6	
JGI05801	5.8	1.5	15	0.2	2	5.5	60	6	7	
JGI05802	5.8	2	15	0.2	2	5.5	60	6	7	
JGI06801	6.8	1.5	20	0.2	2.5	7.3	60	8	8	
JGI06802	6.8	2	20	0.2	2.5	7.3	60	8	8	
JGI08501	8.5	2	30	0.2	2.5	9.2	75	10	10	
JGI08502	8.5	3	30	0.2	2.5	9.2	75	10	10	
JGI09801	9.8	2	40	0.2	3	11	100	12	12	
JGI09802	9.8	3	40	0.2	3	11	100	12	12	

切削條件表 Cutting Condition P.302

複合式自動車床 (內孔車刀)

Carbide Tools For Compound Lathe (Bore Tool)



編號 (Number)	外徑 (D)	有效長 (L1)	R 角 (R)	車削深 (H)	平面寬度 (H1)	全長 (L)	柄徑 (d)	工件直徑 (øK)	價格 (Price)
JGJ01801	1.8	6	0.1	0.25	3.7	50	4	2	
JGJ01802	1.8	10	0.1	0.25	3.7	50	4	2	
JGJ01803	1.8	14	0.1	0.25	3.7	50	4	2	
JGJ02801	2.8	9	0.1	0.3	3.7	50	4	3	
JGJ02802	2.8	15	0.1	0.3	3.7	50	4	3	
JGJ02803	2.8	21	0.1	0.3	3.7	60	4	3	
JGJ03801	3.8	12	0.2	0.5	3.7	50	4	4	
JGJ03802	3.8	20	0.2	0.5	3.7	60	4	4	
JGJ03803	3.8	28	0.2	0.5	3.7	75	4	4	
JGJ04801	4.8	15	0.2	0.5	5.5	50	6	5	
JGJ04802	4.8	25	0.2	0.5	5.5	75	6	5	
JGJ04803	4.8	35	0.2	0.5	5.5	75	6	5	
JGJ05801	5.8	18	0.2	0.5	5.5	60	6	6	
JGJ05802	5.8	30	0.2	0.5	5.5	75	6	6	
JGJ05803	5.8	42	0.2	0.5	5.5	80	6	6	
JGJ06801	6.8	21	0.2	0.5	7.4	60	8	7	
JGJ06802	6.8	35	0.2	0.5	7.4	75	8	7	
JGJ06803	6.8	49	0.2	0.5	7.4	100	8	7	
JGJ07801	7.8	24	0.2	0.7	7.4	60	8	8	
JGJ07802	7.8	40	0.2	0.7	7.4	80	8	8	
JGJ07803	7.8	56	0.2	0.7	7.4	100	8	8	

切削條件表 Cutting Condition P.302

複合式自動車床 (內孔車刀)

Carbide Tools For Compound Lathe (Bore Tool)



編號 (Number)	外徑 (D)	有效長 (L1)	R 角 (R)	車削深 (H)	平面寬度 (H1)	全長 (L)	柄徑 (d)	工件直徑 (øK)	價格 (Price)
JGK01801	1.8	6	0.1	0.25	3.7	50	4	2	
JGK01802	1.8	10	0.1	0.25	3.7	50	4	2	
JGK01803	1.8	14	0.1	0.25	3.7	50	4	2	
JGK02801	2.8	9	0.1	0.3	3.7	50	4	3	
JGK02802	2.8	15	0.1	0.3	3.7	50	4	3	
JGK02803	2.8	21	0.1	0.3	3.7	60	4	3	
JGK03801	3.8	12	0.1	0.5	3.7	50	4	4	
JGK03802	3.8	20	0.1	0.5	3.7	60	4	4	
JGK03803	3.8	20	0.2	0.5	3.7	60	4	4	
JGK03804	3.8	28	0.1	0.5	3.7	75	4	4	
JGK03805	3.8	28	0.2	0.5	3.7	75	4	4	
JGK04801	4.8	15	0.1	0.5	5.5	60	6	5	
JGK04802	4.8	15	0.2	0.5	5.5	60	6	5	
JGK04803	4.8	25	0.1	0.5	5.5	75	6	5	
JGK04804	4.8	25	0.2	0.5	5.5	75	6	5	
JGK04805	4.8	35	0.1	0.5	5.5	75	6	5	
JGK04806	4.8	35	0.2	0.5	5.5	75	6	5	
JGK05801	5.8	18	0.2	0.5	5.5	75	6	6	
JGK05802	5.8	30	0.2	0.5	5.5	75	6	6	
JGK05803	5.8	42	0.2	0.5	5.5	80	6	6	
JGK06801	6.8	21	0.2	0.5	7.4	75	8	7	
JGK06802	6.8	35	0.2	0.5	7.4	75	8	7	
JGK06803	6.8	49	0.2	0.5	7.4	100	8	7	
JGK07801	7.8	24	0.2	0.7	7.4	60	8	8	
JGK07802	7.8	40	0.2	0.7	7.4	75	8	8	
JGK07803	7.8	56	0.2	0.7	7.4	100	8	8	

切削條件表 Cutting Condition P.302

複合式自動車床 (內孔牙刀)

Carbide Tools For Compound Lathe (Internal Threading)



編號 (Number)	外徑 (D)	厚度 (W)	有效長 (L1)	R 角 (R)	度數 (θ°)	牙的中心 (t)	車削深 (H)	平面寬度 (H1)	全長 (L)	柄徑 (d)	工件直徑 (øK)	價格 (Price)
JGN03816	3.8	1.6	15	0.04	60°	0.8	1.3	3.7	50	4	4.5	
JGN052	5	2	20	0.05		1	1.6	5.5	60	6	6.0	
JGN073	7	3	30	0.07		1.5	2	7.4	75	8	8.0	

編號 (Number)	外徑 (D)	厚度 (W)	有效長 (L1)	R 角 (R)	度數 (θ°)	牙的中心 (t)	車削深 (H)	平面寬度 (H1)	全長 (L)	柄徑 (d)	工件直徑 (øK)	價格 (Price)
JGN03815	3.8	1.5	15	0.05	55°	0.75	1.3	3.7	50	4	4.5	
JGN0518	5	1.8	20	0.1		0.9	1.6	5.5	60	6	6.0	
JGN0728	7	2.8	30	0.1		1.4	2	7.4	75	8	8.0	

切削條件表 Cutting Condition P.302

複合式自動車床 (內孔槽刀)

Carbide Tools For Compound Lathe (Internal Grooving)





編號 (Number)	外徑 (D)	厚度 (W±0.03)	有效長 (L1)	上下R角 (R)	車削深 (H)	平面寬度 (H1)	全長 (L)	柄徑 (d)	工件直徑 (øK)	價格 (Price)
JGP03501	3.5	0.5	10	0.03	0.8	3.7	50	4	4	
JGP03502	3.5	1	10	0.05	0.8	3.7	50	4	4	
JGP03503	3.5	1.5	10	0.1	0.8	3.7	50	4	4	
JGP03504	3.5	2	10	0.2	0.8	3.7	50	4	4	
JGP03901	3.9	0.5	15	0.05	1	3.7	50	4	5	
JGP03902	3.9	1	15	0.05	1	3.7	50	4	5	
JGP03903	3.9	1.5	15	0.1	1	3.7	50	4	5	
JGP03904	3.9	2	15	0.2	1	3.7	50	4	5	
JGP04801	4.8	1	15	0.05	1.8	5.5	60	6	6	
JGP04802	4.8	1.5	15	0.1	1.8	5.5	60	6	6	
JGP04803	4.8	2	15	0.2	1.8	5.5	60	6	6	
JGP05801	5.8	1	15	0.05	2	5.5	60	6	7	
JGP05802	5.8	1.5	15	0.1	2	5.5	60	6	7	
JGP05803	5.8	2	15	0.2	2	5.5	60	6	7	
JGP06801	6.8	1	20	0.05	2	7.4	60	8	8	
JGP06802	6.8	1.5	20	0.1	2	7.4	60	8	8	
JGP06803	6.8	2	20	0.2	2	7.4	60	8	8	
JGP08501	8.5	1	25	0.05	2.5	9.3	75	10	10	
JGP08502	8.5	1.5	25	0.1	2.5	9.3	75	10	10	
JGP08503	8.5	2	25	0.2	2.5	9.3	75	10	10	
JGP08504	8.5	3	25	0.2	3	9.3	75	10	10	
JGP09801	9.8	1	35	0.05	2.75	9.3	80	10	12	
JGP09802	9.8	1.5	35	0.1	2.75	9.3	80	10	12	
JGP09803	9.8	2	35	0.2	2.75	9.3	80	10	12	
JGP09804	9.8	3	35	0.2	3	9.3	80	10	12	

切削條件表 Cutting Condition P.302

複合式自動車床 (內孔圓槽刀)

Carbide Tools For Compound Lathe (Internal Radius Grooving)



編號 (Number)	外徑 (D)	厚度 (W±0.03)	有效長 (L1)	上下R角 (R)	車削深 (H)	平面寬度 (H1)	全長 (L)	柄徑 (d)	工件直徑 (øK)	價格 (Price)
JGQ03601	3.6	1	10	0.5	0.8	3.7	50	4	4	
JGQ03602	3.6	1.5	10	0.75	1	3.7	50	4	4	
JGQ03603	3.6	2	10	1	1.2	3.7	50	4	4	
JGQ03901	3.9	1	15	0.5	1.2	3.7	50	4	5	
JGQ03902	3.9	1.5	15	0.75	1.2	3.7	50	4	5	
JGQ03903	3.9	2	15	1	1.5	3.7	50	4	5	
JGQ04801	4.8	1	15	0.5	1.5	5.5	60	6	6	
JGQ04802	4.8	1.5	15	0.75	1.5	5.5	60	6	6	
JGQ04803	4.8	2	15	1	1.5	5.5	60	6	6	
JGQ06801	6.8	1	20	0.5	2	7.3	60	8	8	
JGQ06802	6.8	1.5	20	0.75	2	7.3	60	8	8	
JGQ06803	6.8	2	20	1	2.5	7.3	60	8	8	
JGQ08501	8.5	1	25	0.5	2.5	9.2	75	10	10	
JGQ08502	8.5	1.5	25	0.75	2.5	9.2	75	10	10	
JGQ08503	8.5	2	25	1	2.5	9.2	75	10	10	
JGQ08504	8.5	2.5	25	1.25	2.5	9.2	75	10	10	
JGQ08505	8.5	4	25	2	2.5	9.2	75	10	10	
JGQ09801	9.8	1	35	0.5	2.5	9.2	80	10	12	
JGQ09802	9.8	1.5	35	0.75	2.5	9.2	80	10	12	
JGQ09803	9.8	2	35	1	2.5	9.2	80	10	12	
JGQ09804	9.8	2.5	35	1.25	2.5	9.2	80	10	12	
JGQ09805	9.8	4	35	2	2.5	9.2	80	10	12	

切削條件表 Cutting Condition P.302

複合式自動車床 (端面槽刀)

Carbide Tools For Compound Lathe (Endface Grooving)



編號 (Number)	厚度 (W±0.03)	有效長 (L1)	車削深 (H)	柄徑 (d)	全長 (L)	最小孔徑	價格 (Price)
JGR007504	0.75	15	1.2	4	50	5	
JGR01004	1.0	15	1.5	4	50	5	
JGR007505	0.75	22	1.2	5	50	6	
JGR01005	1.0	22	1.5	5	50	6	
JGR01505	1.5	22	2.5	5	50	6	
JGR01006	1.0	22	1.5	6	50	8	
JGR01506	1.5	22	2.5	6	50	8	
JGR02006	2.0	22	3.0	6	50	8	
JGR02508	2.5	22	3.5	8	60	10	



切削條件表 Cutting Condition P.302

複合式自動車床 (端面槽刀)

Carbide Tools For Compound Lathe (Endface Grooving)





編號 (Number)	厚度 (W±0.03)	有效長 (L1)	車削深 (H)	柄徑 (d)	全長 (L)	最小孔徑	價格 (Price)
JGS007504	0.75	15	1.2	4	50	5	
JGS01004	1.0	15	1.5	4	50	5	
JGS007505	0.75	22	1.2	5	50	6	
JGS01005	1.0	22	1.5	5	50	6	
JGS01505	1.5	22	2.5	5	50	6	
JGS01006	1.0	22	1.5	6	50	8	
JGS01506	1.5	22	2.5	6	50	8	
JGS02006	2.0	22	3.0	6	50	8	
JGS02508	2.5	22	3.5	8	60	10	



切削條件表 Cutting Condition P.302

複合式自動車床 (焊接式)

Carbide Tools For Compound Lathe (Brazed)



編號 (Number)	外徑 (D)	刃長 (H)	刃數 (T)	柄徑 (d)	全長 (L)	價格 (Price)
JGT1610	16	1	10	7	50	
JGT1615	16	1.5	10	7	50	
JGT1620	16	2	10	7	50	
JGT1625	16	2.5	10	7	50	
JGT1630	16	3	10	7	50	

編號 (Number)	外徑 (D)	刃長 (H)	刃數 (T)	柄徑 (d)	全長 (L)	價格 (Price)
JGT2010	20	1	12	7/10	50	
JGT2015	20	1.5	12	7/10	50	
JGT2020	20	2	12	7/10	50	
JGT2025	20	2.5	12	7/10	50	
JGT2030	20	3	12	7/10	50	

編號 (Number)	外徑 (D)	刃長 (H)	刃數 (T)	柄徑 (d)	全長 (L)	價格 (Price)
JGT2510	25	1	16	7/10	50	
JGT2515	25	1.5	16	7/10	50	
JGT2520	25	2	16	7/10	50	
JGT2525	25	2.5	16	7/10	50	
JGT2530	25	3	16	7/10	50	

編號 (Number)	外徑 (D)	刃長 (H)	刃數 (T)	柄徑 (d)	全長 (L)	價格 (Price)
JGT3010	30	1	16	7/10	50	
JGT3015	30	1.5	16	7/10	50	
JGT3020	30	2	16	7/10	50	
JGT3025	30	2.5	16	7/10	50	
JGT3030	30	3	16	7/10	50	